

PDU Technology Specification


Date: 09/08/2010

NO.: CZTR0331008017

| | | | |
|---------------------|--|--|--|
| Customer | Triton | RoHS | Yes |
| Product Name | Designated Power Distribution Unit for Cabinet | Customer's Code | RAB-PD-X52-X1 |
| Part Number | AUE2250H1-24AVFGMB | Picture Code | CZTR0331008017 |
| No. | Item | Detailed Description | |
| 1 | Product Series | AUE2250 Series | |
| 2 | Socket Type | Single IEC320 C13 Socket[20];IEC320 C19 Socket(Single 2)[4]; | |
| 3 | Socket Quantity | 24 way | |
| 4 | Power Input | Left end single input | |
| 5 | Bracket Install | Inverse installation | |
| 6 | Cable with plug | IEC60309 plug (32A 2P+E) | |
| 7 | Control Function | 2x16A Master air circuit breaker | |
| 8 | Protection Function | No protecting function | |
| 9 | Case | Black | |
| 10 | Cable Specification | 3 x 6.0 mm ² x 3.05M | |
| 11 | Product Size | L x W x H = 1281 x 44.4 x 44.4 mm | |
| 12 | Mounting Length | 1254.5 mm | |
| 13 | Case Length | 1228 mm | |
| 14 | PDU Exponent | 1. 852 | |
| 15 | Fittings | 2pcs φ6×16mm cross bolt, 2pcs M6 float nut, | |
| 16 | Product Label | Product Name | Designated Power Distribution Unit for Cabinet |
| | | Specification Model | AUE2250H1-24AVFGMB |
| | | Rating voltage | 230VAC 50/60Hz |
| | | Rating Current | 32A |
| | | Max. Current | |
| | | Max. Power | 7360W |
| | | Safety Authentication | CE |
| | | Logo | RoHS |
| | | Producer | |
| No. | Add-In | | |
| 1 | Socket assemble | No | |
| 2 | Interior Connection Wire | 2.5 mm ² | |
| 3 | Interior Connection Style | Group connection | |
| 4 | Fix the Cable | Cable clamp | |
| 5 | Module Assemble (from left to right) | No | |
| 6 | Others | Remark: Special sticker as customer request. | |
| Made by: | | Iris | Customer confirm: |
| | | | Check: |
| | | | Authorize: |

This technology specification is for: design product for customer and confirm customer's requirements, and is also the basic gist for arranging production.

Preview



IEC60309 plug (32A 2P+E)

| DIMENSION AND TOLERANCES (Unit: mm) | | | Triton Pardubice spol. s r.o. | | |
|--|------|------------------|-------------------------------|-----------------|--|
| Length: | 1281 | Mounting length: | 1254.5 | Customer | Triton |
| Width: | 44.4 | Case length: | 1228 | Product name | Designated Power Distribution Unit for Cabinet |
| Height: | 44.4 | case tolerance: | ± 1.0 | Part number | AUE2250H1-24AVFGMB |
| | | SIGN | DATE | Customer's code | RAB-PD-X52-X1 |
| DRAWN | Iris | | 09/08/2010 | Drawing number | CZTR0331008017 |
| CHK'D | | | | Edition number | |
| APP'D | | | | | |

Date: 09/08/2010

PDU Technology Specification

NO.: CZTR0331008017